ACI MATERIALS JOURNAL

INDEX VOLUME 95, 1998

From a Journal of the American Concrete Institute, January through December 1998

progress through knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

ACI Materials Journal VOLUME 95, 1998

Remove this section and include it with your January through December 1998 Volume 95 issues of the *ACI Materials Journal*.

A

Achenbach, J. D.—Ultrasonic investigation of concrete with distributed damage (95-M4) Jan.-Feb. 1998 27

Admixtures
—Role of chemical and mineral admixtures on physical properties and frost-resistance of recycled aggregate concrete (95-M53) Salem, R. M., and Burdette, E. G., Sept.-Oct. 1998 558
—Use of viscosity-modifying admixture to reduce top-bar effect of anchored bars cast with fluid concrete (95-M16) Khayat, K. H., Mar.-Apr. 1998 158

Ahmed, T.—Static and fatigue strength of reinforced concrete beams affected by alkali-silica reaction (95-M35) July-Aug. 1998 376

Aggregates
—Size effect and influence of aggregate roughness in interface fracture of concrete composites (95-M30) Trende, U., and Büyüköztürk, O., July-Aug. 1998 331

Al-Bahar, S.—Investigation of corrosion damage in reinforced concrete structure in Kuwait (95-M21) May-June 1998 226

Alkali-aggregate reactions
—Effect of slag on expansion due to alkali-aggregate reaction in concrete (95-M71) Thomas, M. D. A., and Innis, F. A., Nov.-Dec. 1998 716

Alkali-silica reactions
—Alkali-silica reaction—Part 2: Effect of chemical admixtures (95-M1) Prezzi, M., Monteiro, P. J. M., and Sposito, G., Jan.-Feb. 1998 3
—Length expansion and cracking of plain and reinforced concrete prisms due to alkali-silica reaction (95-M46) Fan, S., and Hanson, J. M., July-Aug. 1998 480
—Static and fatigue strength of reinforced concrete beams affected by alkali-silica reaction (95-M35) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1998 376

Alkali-silica reaction—Part 2: Effect of chemical admixtures (95-M1) Prezzi, M., Monteiro, P. J. M., and Sposito, G., Jan.-Feb. 1998 3

Amparano, F. E.—Pumpability of non-sand concrete with anti-segregative additives (95-M68) Nov.-Dec. 1998 695

Analysis of compressive stress-induced cracks in concrete (95-M60) Nemati, K. M., Monteiro, P. J. M., and Scrivener, K. L., Sept.-Oct. 1998 617

Ansari, F.—High-strength concrete subjected to triaxial compression (95-M75) Nov.-Dec. 1998 747

Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Li, Z., Li, F., Zdunek, A., Landis, E., and Shah, S. P., Jan.-Feb. 1998 68

Attiogbe, E. K.—Investigation of corrosion damage in reinforced concrete structure in Kuwait (95-M21) May-June 1998 . . . 226

B

Bahn, B. Y.—Stress-strain behavior of concrete under cyclic loading (95-M18) Mar.-Apr. 1998 178

Bank, L. C.—Effect of material degradation on bond properties of fiber reinforced plastic reinforcing bars in concrete (95-M22) May-June 1998 232

Banthia, N.
—Impact resistance of concrete plates reinforced with fiber reinforced plastic grid (95-M2) Jan.-Feb. 1998 11
—Influence of high-reactivity metakaolin and silica fume on flexural toughness of high-performance steel fiber reinforced concrete (95-M27) May-June 1998 284

Bars
—Ductile hybrid fiber reinforced plastic reinforcing bar for concrete structures—Design methodology (95-M63) Somboonsong, W., Ko, F. K., and Harris, H. G., Nov.-Dec. 1998 655
—Effect of material degradation on bond properties of fiber reinforced plastic reinforcing bars in concrete (95-M22) Bank, L. C., Puterman, M., and Katz, A., May-June 1998 232

Baweja, D.—Chloride-induced steel corrosion in concrete—Part 1: Corrosion rates, corrosion activity, and attack areas (95-M19) May-June 1998 207

Becq-Giraudon, E.—Method to predict shrinkage cracking of concrete (95-M31) July-Aug. 1998 339

Berg, E. R.—Concrete masonry unit mix designs using municipal solid waste bottom ash (95-M45) July-Aug. 1998 470

Bhattacharjee, B.—Modeling of chloride diffusion in concrete and determination of diffusion coefficients (95-M11) Mar.-Apr. 1998 113

Bond strength
—Improving bond strength of concrete to reinforcement by adding methylcellulose to concrete (95-M58) Fu, X., and Chung, D. D. L., Sept.-Oct. 1998 601

Bond strength of reinforcing bars in reinforced shotcrete (94-M13)
—Ghio, V. A., and Monteiro, P. J. M., V. 94, Mar.-Apr. 1997 111
—Disc. by Warner, J., Mar.-Apr. 1998 196

Bond strength of reinforcement in high-performance concrete—Role of silica fume, casting position, and superplasticizer dosage (95-M47) Hamad, B. S., and Itani, M. S., Sept.-Oct. 1998 499

Burdette, E. G.—Role of chemical and mineral admixtures on physical properties and frost-resistance of recycled aggregate concrete (95-M53) Sept.-Oct. 1998 558

Burley, E.—Static and fatigue strength of reinforced concrete beams affected by alkali-silica reaction (95-M35) July-Aug. 1998 376

Bush, Jr., T. D.—Laboratory test procedures for evaluating concrete treated with sealers (95-M41) July-Aug. 1998 436

Büyüköztürk, O.
—Electromagnetic properties of concrete at microwave frequency range (95-M25) May-June 1998 262
—Size effect and influence of aggregate roughness in interface fracture of concrete composites (95-M30) July-Aug. 1998 331

C

Cai, Y.
—Laboratory-made roller compacted concretes containing dry bottom ash—Part 1: Mechanical properties (95-M12) Mar.-Apr. 1998 121
—Laboratory-made roller compacted concretes containing dry bottom ash—Part 2: Long-term durability (95-M23) May-June 1998 244

Caldwell, R. J.—Effect of supplementary cementing materials on specific conductivity of pore solution and its implications on rapid chloride permeability test (AASHTO T 277 and ASTM C 1202) results (95-M36) July-Aug. 1998 389

Carrasquillo, R. L.—High-performance concrete—Influence of coarse aggregates on mechanical properties (95-M24) May-June 1998 252

Cement additives (raw materials)
—Pumpability of non-sand concrete with antisegregative additives (95-M68) Amparano, F. E., and Xi, Y., Nov.- Dec. 1998 695

Cetin, A.—High-performance concrete—Influence of coarse aggregates on mechanical properties (95-M24) May- June 1998 252

Chang, T.-Y. P.—Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Sept.-Oct. 1998 564

Chloride-induced steel corrosion in concrete—Part 1: Corrosion rates, corrosion activity, and attack areas (95-M19) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1998 207
Chlorides
—Service life model for concrete structures in chloride laden environments (95-M42) Weyers, R. E., July-Aug. 1998 445
Chung, D. D. L.
—Effects of water-cement ratio, curing age, silica fume, polymer admixtures, steel surface treatments, and corrosion on bond between concrete and steel reinforcing bars (95-M72) Nov.-Dec. 1998 725
—Improving the bond strength of concrete to reinforcement by adding methylcellulose to concrete (95-M58) Sept.-Oct. 1998 601
Coal
—Compacted non-cement concrete utilizing fluidized bed and pulverized coal combustion by-products (95-M56) Ghafoori, N., and Garcia Mora, C. A., Sept.-Oct. 1998 582
Compacted non-cement concrete utilizing fluidized bed and pulverized coal combustion by-products (95-M56) Ghafoori, N., and Garcia Mora, C. A., Sept.-Oct. 1998 582
Coatings
—Protective ability of acrylic-based surface coating system against chloride and carbonation penetration into concrete (95-M10) Swamy, R. N., Suryavanshi, A. K., and Tanikawa, S., Mar.-Apr. 1998 101
Compression
—Measurement of permeability under uniaxial compression—A test method (95-M67) Hearn, N., and Lok, G., Nov.-Dec. 1998. . 691
Compressive strength
—Effect of strain rate on compressive strength surface cracking and failure mode of mortar (95-M48) Zhaoxia, L., and Yaoping, H., Sept.-Oct. 1998 512
—Effects of high temperature on the residual compressive strength of high-strength siliceous concretes (95-M37) Felicetti, R., and Gambarova, P. G., July-Aug. 1998 395
Concrete masonry unit mix designs using municipal solid waste bottom ash (95-M45) Berg, E. R., and Neal, J. A., July-Aug. 1998 . . . 470
Consolazio, G. R.—Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating (95-M50) Sept.-Oct. 1998 525
Control of plastic shrinkage cracking with specialty cellulose fibers (95-M40) Soroushian, P., and Ravanbakhsh, S., July-Aug. 1998 . . 429
Cook, W. D.
—Stress-strain characteristics of confined concrete in column hinges (95-M39) July-Aug. 1998 419
—Thermal properties and transient thermal analysis of structural members during hydration (95-M28) May-June 1998 293
Corrosion
—Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68
—Chloride-induced steel corrosion in concrete—Part 1: Corrosion rates, corrosion activity, and attack areas (95-M19) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1998 : . . 207
—Investigation of corrosion damage in a reinforced concrete structure in Kuwait (95-M21) Al-Bahar, S., Attiogbe, E. K., and Kamal, H., May-June 1998 226
—Nondestructive measurement of corrosion state of reinforcing steel in concrete (95-M69) Monteiro, P. J. M., Morrison, F., and Frangos, W., Nov.-Dec. 1998 704
Cracking (fracturing)
—Analysis of compressive stress-induced cracks in concrete (95-M60) Nemati, K. M., Monteiro, P. J. M., and Scrivener, K. L., Sept.-Oct. 1998 617
—Control of plastic shrinkage cracking with specialty cellulose fibers (95-M40) Soroushian, P., and Ravanbakhsh, S., July-Aug. 1998 429
—Determining the depth of surface-opening cracks using impact-generated stress waves and time-of-flight techniques (95-M17) Sansalone, M., Lin, J.-M., and Streett, W. B., Mar.-Apr. 1998 168
—Modeling the time-to-corrosion cracking in chloride contaminated reinforced concrete structures (95-M65) Liu, Y., and Weyers, R. E., Nov.-Dec. 1998 675
Cyclic loads
—Damage model for reinforced concrete elements under cyclic loading (95-M66) Rao, P. S., Sarma, B. S., Lakshmanan, N., and Stanenberg, F., Nov.-Dec. 1998 682
—Stress-strain behavior of concrete under cyclic loading (95-M18) Bahn, B. Y., and Hsu, C.-T. T., Mar.-Apr. 1998 178

D

Damage model for reinforced concrete elements under cyclic loading (95-M66) Rao, P. S., Sarma, B. S., Lakshmanan, N., and Stanenberg, F., Nov.-Dec. 1998 682
Determining depth of surface-opening cracks using impact-generated stress waves and time-of-flight techniques (95-M17) Sansalone, M., Lin, J.-M., and Streett, W. B., Mar.-Apr. 1998 168
Development of strength and fracture properties of styrene-butadiene copolymer latex-modified concrete (95-M13) Sujjavanich, S., and Lundy, J. R., Mar.-Apr. 1998 131
Development of tire-added latex concrete (95-M33)Lee, H. S., Lee, H., Moon, J. S., and Jung, H. W., July-Aug, 1998 356
Diffusion
—Modeling of chloride diffusion in concrete and determination of diffusion coefficients (95-M11) Nagesh, M., and Bhattacharjee, B., Mar.-Apr. 1998 113
Dilly, R. L.—Mode I fracture strength based on puilout force and equivalent age (95-M29) May-June 1998 304
Drying shrinkage of roller-compacted concrete for pavement applications (95-M3) Pittman, D. W., and Ragan, S. A., Jan.-Feb. 1998. 19
Dubey, A.—Influence of high-reactivity metakaolin and silica fume on the flexural toughness of high-performance steel fiber reinforced concrete (95-M27) May-June 1998 284
Ductile hybrid fiber reinforced plastic reinforcing bar for concrete structures—design methodology (95-M63) Somboonsong, W., Ko, F. K., and Harris, H. G., Nov.-Dec. 1998. . . . 655
Dynamic modulus of elasticity
—Nondestructive determination of the dynamic modulus of concrete disks (95-M6) Leming, M. L., Nau, J. M., and Fukuda, J., Jan.-Feb. 1998 50

E

Effect of bentonite and zeolite on durability of cement suspension under sulfate attack (95-M70) Janotka, I., and Stevula, L., Nov.-Dec. 1998 710
Effect of confinement on siliceous aggregate concrete subjected to elevated temperatures and cyclic heating (94-M10)
—Terro, M. J., and Hamoush, S. A., V. 94 Mar.-Apr. 1997 83
—Disc. by Baker, G., and Stabler, J., Mar.-Apr. 1998 195
Effect of material degradation on bond properties of fiber reinforced plastic reinforcing bars in concrete (95-M22) Bank, L. C., Puterman, M., and Katz, A., May-June 1998 232
Effect of PCC joint sealing on total pavement performance (SP 164-41)
—Shober, S., and Rutkowski, T., SP-164, V. 2 769
—Disc. by Burke, Jr., M. P., Nov.-Dec. 1998 757
Effect of slag on expansion due to alkali-aggregate reaction in concrete (95-M71) Thomas, M. D. A., and Innis, F. A., Nov.-Dec. 1998 716
Effect of strain rate on compressive strength surface cracking and failure mode of mortar (95-M48) Zhaoxia, L., and Yaoping, H., Sept.-Oct. 1998 512
Effect of supplementary cementing materials on specific conductivity of pore solution and its implications on rapid chloride permeability test (AASHTO T 277 and ASTM C 1202) results (95-M36) Shi, C., Stegemann, J. A., and Caldwell, R. J., July-Aug. 1998 389
Effects of high temperature on residual compressive strength of high-strength siliceous concretes (95-M37) Felicetti, R., and Gambarova, P. G., July-Aug. 1998 395
Effects of polysaccharide gum additives on shotcrete process (95-M15) Ghio, V. A., and Monteiro, P. J. M., Mar.-Apr. 1998 152
Effects of water-cement ratio, curing age, silica fume, polymer admixtures, steel surface treatments, and corrosion on bond between concrete and steel reinforcing bars (95-M72) Fu, X., and Chung, D. D. L., Nov.-Dec. 1998 725
Engineering material properties of fiber reinforced cellular concrete (95-M61) Zollo, R. F., and Hays, C. D., Sept.-Oct. 1998 631
Environmental effects on mechanical properties of E-glass FRP Reinforcing Bars (95-M9) Tannous, F. E., and Saadatmanesh, H., Mar.-Apr.1998 87
Electromagnetic properties of concrete at microwave frequency range (95-M25) Rhim, H. C., and Büyüköztürk, O., May-June 1998 262

Estimating service life of epoxy-coated reinforcing steel (95-M52) Weyers, R. E., Pyc, W., and Sprinkel, M. M., Sept.-Oct. 1998 . . 546
Experimental research on polymer modified concrete (95-M44) Folic, R. J., and Radonjanin, V. S., July-Aug. 1998 463
Experimental study of plain concrete under triaxial stress (93-M67)
—Imran, I., and Pantazopoulou, S. J., V. 93, Nov.-Dec. 1996 589
—Disc. by Palaniswamy, R., and Shah, S. P., Mar.-Apr. 1998 194

F

Fan, S.—Length expansion and cracking of plain and reinforced concrete prisms due to alkali-silica reaction (95-M46) July-Aug. 1998 480
Fatigue of concrete under uniaxial compression cyclic loading (95-M55) Gao, L., and Hsu, C.-T. T., Sept.-Oct. 1998 575
Fatigue performance in flexure of fiber reinforced concrete (95-M7) Jun, Z., and Stang, H., Jan.-Feb. 1998 58
Fatigue tests
—Fatigue of concrete under uniaxial compression cyclic loading (95-M55) Gao, L., and Hsu, C.-T. T., Sept.-Oct. 1998 575
—Fatigue performance in flexure of fiber reinforced concrete (95-M7) Jun, Z., and Stang, H., Jan.-Feb. 1998 58
Felicetti, R.—Effects of high temperature on residual compressive strength of high-strength siliceous concretes (95-M37) July-Aug. 1998 . . 395
Fibers
—Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Sept.-Oct. 1998 564
Flexural strength
—Influence of high-reactivity metakaolin and silica fume on flexural toughness of high-performance steel fiber reinforced concrete (95-M27) Dubey, A., and Banthia, N., May-June 1998 . . . 284
Fly ash
—Mechanical properties and durability of concrete made with blended fly ash (95-M43) Naik, T. R., Singh, S., and Ramme, B., July-Aug. 1998 454
Folic, R. J.—Experimental research on polymer modified concrete (95-M44) July-Aug. 1998 463
Fracture properties
—Development of strength and fracture properties of styrene-butadiene copolymer latex-modified concrete (95-M13) Sujjavanich, S., and Lundy, J. R., Mar.-Apr. 1998 131
—Mode I fracture strength based on pullout force and equivalent age (95-M29) Dilly, R. L., and Zollinger, D. G., May-June 1998. . . 304
Frangos, W.—Nondestructive measurement of corrosion state of reinforcing steel in concrete (95-M69) Nov.-Dec. 1998 704
Fu, X.
—Effects of water-cement ratio, curing age, silica fume, polymer admixtures, steel surface treatments, and corrosion on bond between concrete and steel reinforcing bars (95-M72) Nov.-Dec. 1998. 725
—Improving bond strength of concrete to reinforcement by adding methylcellulose to concrete (95-M58) Sept.-Oct. 1998 . . 601
Fukuda, J.—Nondestructive determination of dynamic modulus of concrete disks (95-M6) Jan.-Feb. 1998 50
Fundamental study on hydration of cement and cement minerals with steam (95-M5) Lin, W.-M, Lin, T.-D., Hwang, C. L., and Peng, Y. N., Jan.-Feb. 1998 37

G

Gambarova, P. G.—Effects of high temperature on residual compressive strength of high-strength siliceous concretes (95-M37) July-Aug. 1998 395
Gao, L.—Fatigue of concrete under uniaxial compression cyclic loading (95-M55) Sept.-Oct. 1998 575
Garcia Mora, C. A.—Compacted non-cement concrete utilizing fluidized bed and pulverized coal combustion by-products (95-M56) Sept.-Oct. 1998 582
Gardner, N. J.—Punching shear strength of continuous post-tensioned concrete flat plates (95-M26) May-June 1998 272
Ghafoori, N.
—Compacted non-cement concrete utilizing fluidized bed and pulverized coal combustion by-products (95-M56) Sept.-Oct. 1998 . . . 582
—Laboratory-made roller compacted concretes containing dry bottom ash—Part 1: Mechanical properties (95-M12) Mar.-Apr. 1998 121
—Laboratory-made roller compacted concretes containing dry bottom ash—Part 2: Long-term durability (95-M23) May-June 1998 244
—Sulfate resistance of roller compacted concrete (95-M32) July-Aug. 1998 347
Ghio, V. A.—Effects of polysaccharide gum additives on shotcrete process (95-M15) Mar.-Apr. 1998 152
Griezic, A.—Stress-strain characteristics of confined concrete in column hinges (95-M39) July-Aug. 1998 419

H

Hamad, B. S.—Bond strength of reinforcement in high-performance concrete—Role of silica fume, casting position, and superplasticizer dosage (95-M47) Sept.-Oct. 1998 499
Hannant, D. J.—Tensile behavior of fiber-cement hybrid composites containing polyvinyl alcohol fiber yarns (95-M64) Nov.-Dec. 1998 667
Hanson, J. M.—Length expansion and cracking of plain and reinforced concrete prisms due to alkali-silica reaction (95-M46) July-Aug. 1998 480
Harris, H. G.—Ductile hybrid fiber reinforced plastic reinforcing bar for concrete structures—Design methodology (95-M63) Nov.-Dec. 1998 655
Hays, C. D.—Engineering material properties of fiber reinforced cellular concrete (95-M61) Sept.-Oct. 1998 631
Hearn, N.—Measurement of permeability under uniaxial compression—A test method (95-M67) Nov.-Dec. 1998 691
Heat cycling of epoxy mortar repaired beams (94-M15)
—Abu-Tair, A. I., Burley, E., and Rigden, S. R., V. 94, Mar.-Apr. 1997 129
—Disc. by Schutz, R. J., Mar.-Apr. 1998 197
High-performance concrete—Influence of coarse aggregate on mechanical properties (95-M24) Cetin, A., and Carrasquillo, R. L., May-June 1998 252
High-performance concretes
—Bond strength of reinforcement in high-performance concrete—Role of silica fume, casting position, and superplasticizer dosage (95-M47) Hamad, B. S., and Itani, M. S., Sept.-Oct. 1998 499
—High-performance concrete—Influence of coarse aggregate on mechanical properties (95-M24) Cetin, A., and Carrasquillo, R. L., May-June 1998. 252
High-strength concretes
—Triaxial behavior of high-strength concrete and mortar (95-M14) Nielsen, C. V., Mar.-Apr. 1998. 144
High-strength concrete subjected to triaxial compression (95-M75) Ansari, F., and Li, Q., Nov.-Dec. 1998 747
Hinges
—Stress-strain characteristics of confined concrete in column hinges (95-M39) Griezic, A., Cook, W. D., and Mitchell, D., July-Aug. 1998 419
History of mathematical model for strength development of portland cement concrete (95-M57) Popovics, S., Sept.-Oct. 1998 593
Hsiao, C.—Influences of reinforcing bars on crack depth measurement by stress waves (95-M38) July-Aug. 1998. 407
Hsu, C.-T. T.
—Fatigue of concrete under uniaxial compression cyclic loading (95-M55) Sept.-Oct. 1998. 575
—Stress-strain behavior of concrete under cyclic loading (95-M18) Mar.-Apr. 1998. 178
Hwang, C. L.—Fundamental study on hydration of cement and cement minerals with steam (95-M5) Jan.-Feb. 1998 37
Hydration
—Fundamental study on hydration of cement and cement minerals with steam (95-M5) Lin, W.-M, Lin, T.-D., Hwang, C. L., and Peng, Y. N., Jan.-Feb. 1998 37
—Thermal properties and transient thermal analysis of structural members during hydration (95-M28) Khan, A. A., Cook, W. D., and Mitchell, D., May-June 1998. 293

I

Impact resistance
—Impact resistance of concrete plates reinforced with fiber reinforced plastic grid (95-M2) Banthia, N., Yan, C., and Sakai, K., Jan.-Feb. 1998 11
Impact resistance of concrete plates reinforced with fiber reinforced plastic grid (95-M2) Banthia, N., Yan, C., and Sakai, K., Jan.-Feb. 1998 11
Improving bond strength of concrete to reinforcement by adding methylcellulose to concrete (95-M58) Fu, X., and Chung, D. D. L., Sept.-Oct. 1998 601

Influence of high-reactivity metakaolin and silica fume on flexural toughness of high-performance steel fiber-reinforced concrete (95-M27) Dubey, A., and Banthia, N., May-June 1998 284
Influences of reinforcing bars on crack depth measurement by stress waves (95-M38) Lin, Y, Liou, T., and Hsiao, C., July-Aug. 1998 407
Innis, F. A.—Effect of slag on expansion due to alkali-aggregate reaction in concrete (95-M71) Nov.-Dec. 1998 716
Investigation of corrosion damage in reinforced concrete structure in Kuwait (95-M21) Al-Bahar, S., Attiogbe, E. K., and Kamal, H., May-June 1998 226
Iravani, S.—Sustained load strength and short-term strain behavior of high-strength concrete (95-M62) Sept.-Oct. 1998 636
Itani, M. S.—Bond strength of reinforcement in high-performance concrete—Role of silica fume, casting position, and superplasticizer dosage (95-M47) Sept.-Oct. 1998 499

J

Janotka, I.—Effect of bentonite and zeolite on durability of cement suspension under sulfate attack (95-M70) Nov.- Dec. 1998 710
Jun, Z.—Fatigue performance in flexure of fiber reinforced concrete (95-M7) Jan.-Feb. 1998 58
Jung, H. W.—Development of tire-added latex concrete (95-M33) July-Aug. 1998 356

K

Kallage, M. R.—Punching shear strength of continuous post-tensioned concrete flat plates (95-M26) May-June 1998 272
Kamal, H.—Investigation of corrosion damage in reinforced concrete structure in Kuwait (95-M21) May-June 1998 226
Katz, A.—Effect of material degradation on bond properties of fiber reinforced plastic reinforcing bars in concrete (95-M22) May-June 1998 232
Khan, A. A.—Thermal properties and transient thermal analysis of structural members during hydration (95-M28) May-June 1998 293
Khayat, K. H.—Use of viscosity-modifying admixture to reduce top-bar effect of anchored bars cast with fluid concrete (95-M16) Mar.-Apr. 1998 158
Ko, F. K.—Ductile hybrid fiber reinforced plastic reinforcing bar for concrete structures—Design methodology (95-M63) Nov.-Dec. 1998 655

L

Laboratory-made roller compacted concretes containing dry bottom ash—Part I: Mechanical properties (95-M12) Ghafoori, N., and Cai, Y., Mar.-Apr. 1998 121
Laboratory-made roller compacted concretes containing dry bottom ash—Part II: Long-term durability (95-M23) Ghafoori, N., and Cai, Y., May-June 1998 244
Laboratory test procedures for evaluating concrete treated with sealers (95-M41) Bush, T. D., July-Aug. 1998 436
Lakshmanan, N.—Damage model for reinforced concrete elements under cyclic loading (95-M66) Nov.-Dec. 1998 682
Landis, E. N.
—Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68
—Ultrasonic investigation of concrete with distributed damage (95-M4) Jan.-Feb. 1998 27
Latex (rubber)
—Development of tire-added latex concrete (95-M33) Lee, H. S., Lee, H., Moon, J. S., and Jung, H. W., July-Aug, 1998 356
Lee, H.—Development of tire-added latex concrete (95-M33) July-Aug. 1998 356
Lee, H. S.—Development of tire-added latex concrete (95-M33) July-Aug. 1998 356
Leming, M. L.—Nondestructive determination of dynamic modulus of concrete disks (95-M6) Jan.-Feb. 1998 50
Length expansion and cracking of plain and reinforced concrete prisms due to alkali-silica reaction (95-M46) Fan, S., and Hanson, J. M., July-Aug. 1998 480
Li, F.
—Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68
—Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Sept.-Oct. 1998 564
Li, Q.—High-strength concrete subjected to triaxial compression (95-M75) Nov.-Dec. 1998 747
Li, Z.
—Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68
—Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Sept.-Oct. 1998 564
Lin, J.-M.—Determining depth of surface-opening cracks using impact-generated stress waves and time-of-flight techniques (95-M17) Mar.-Apr. 1998 168
Lin, T. F.—Stress effect on ultrasonic velocity variations of concrete under repeated loading (95-M49) Sept.-Oct. 1998 519
Lin, T. D.—Fundamental study on hydration of cement and cement minerals with steam (95-M5) Jan.-Feb. 1998 37
Lin, W.-M.—Fundamental study on hydration of cement and cement minerals with steam (95-M5) Jan.-Feb. 1998 37
Lin, Y.—Influences of reinforcing bars on crack depth measurement by stress waves (95-M38) July-Aug. 1998 407
Liou, T.—Influences of reinforcing bars on crack depth measurement by stress waves (95-M38) July-Aug. 1998 407
Liu, Y.—Modeling time-to-corrosion cracking in chloride-contaminated reinforced concrete structures (95-M65) Nov.-Dec. 1998 675
Loads
—Sustained load strength and short-term strain behavior of high-strength concrete (95-M62) Iravani, S., and MacGregor, J. G., Sept.-Oct. 1998 636
Lok, G.—Measurement of permeability under uniaxial compression—A test method (95-M67) Nov.-Dec. 1998 691
Low-cycle fatigue of plain and fiber reinforced concrete (94-M32)
—Paskova, T., and Meyer, C., V. 94 July-Aug. 1997 273
—Disc. by Bell, L. W., May-June 1998 320
Lundy, J. R.—Development of strength and fracture properties of styrene-butadiene copolymer latex-modified concrete (95-M13) Mar.-Apr. 1998 131

M

MacGregor, J. G.—Sustained load strength and short-term strain behavior of high-strength concrete (95-M62) Sept.-Oct. 1998 636
Magnani, S.—Tensile behavior of fiber-cement hybrid composites containing polyvinyl alcohol fiber yarns (95-M64) Nov.-Dec. 1998 667
Mai, Y.-W.—Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Sept.-Oct. 1998 564
Malvar, L. J.
—Review of static and dynamic properties of steel reinforcing bars (95-M59) Sept.-Oct. 1998 609
—Review of strain rate effects for concrete in tension (95-M73) Nov.-Dec. 1998 735
Marikunte, S.—Method to predict shrinkage cracking of concrete (95-M31) July-Aug. 1998 339
Masonry
—Concrete masonry unit mix designs using municipal solid waste bottom ash (95-M45) Berg, E. R., and Neal, J. A., July-Aug. 1998 470
Matsui, K.—Reliability approach to landing pier optimum repair level (95-M20) May-June 1998 218
Matsushima, M.—Reliability approach to landing pier optimum repair level (95-M20) May-June 1998 218
McVay, M. C.—Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating (95-M50) Sept.-Oct. 1998 525
Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating (95-M50) Consolazio, G. R., McVay, M. C., and Rish, III, J. W., Sept.-Oct. 1998 525
Measurement of permeability under uniaxial compression—A test method (95-M67) Hearn, N., and Lok, G., Nov.-Dec. 1998 691
Mechanical properties and durability of concrete made with blended fly ash (95-M43) Naik, T. R., Singh, S., and Ramme, B., July-Aug. 1998 454
Method to predict shrinkage cracking of concrete (95-M31) Shah, S. P., Ouyang, C., Marikunte, S., Yang, W., and Becq-Giraudon, E., July-Aug. 1998 339

Microwaves
—Electromagnetic properties of concrete at microwave frequency range (95-M25) Rhim, H. C., and Büyüköztürk, O., May-June 1998 . 262
Mitchell, D.
—Stress-strain characteristics of confined concrete in column hinges (95-M39) July-Aug. 1998 419
—Thermal properties and transient thermal analysis of structural members during hydration (95-M28) May-June 1998 293
Mix proportioning
—Laboratory-made roller compacted concretes containing dry bottom ash—Part I: Mechanical properties (95-M12) Ghafoori, N., and Cai, Y., Mar.-Apr. 1998 121
—Laboratory-made roller compacted concretes containing dry bottom ash—Part II: Long-term durability (95-M23) Ghafoori, N., and Cai, Y., May-June 1998 244
Mode I fracture strength based on pullout force and equivalent age (95-M29) Dilly, R. L., and Zollinger, D. G., May-June 1998 304
Modeling of chloride diffusion in concrete and determination of diffusion coefficients (95-M11) Nagesh, M., and Bhattacharjee, B., Mar.-Apr. 1998 113
Modeling time-to-corrosion cracking in chloride-contaminated reinforced concrete structures (95-M65) Liu, Y., and Weyers, R. E., Nov.-Dec. 1998 675
Monteiro, P. J. M.
—Alkali-silica reaction—Part 2: Effect of chemical admixtures (95-M1) Jan.-Feb. 1998 3
—Analysis of compressive stress-induced cracks in concrete (95-M60) Sept.-Oct. 1998 617
—Effects of polysaccharide gum additives on shotcrete process (95-M15) Mar.-Apr. 1998 152
—Nondestructive measurement of corrosion state of reinforcing steel in concrete (95-M69) Nov.-Dec. 1998 704
Moon, J. S.—Development of tire-added latex concrete (95-M33) July-Aug. 1998 356
Morrison, F.—Nondestructive measurement of corrosion state of reinforcing steel in concrete (95-M69) Nov.-Dec. 1998 704

N

Nagesh, M.—Modeling of chloride diffusion in concrete and determination of diffusion coefficients (95-M11) Mar.- Apr. 1998 113
Naik, T. R.—Mechanical properties and durability of concrete made with blended fly ash (95-M43) July-Aug. 1998 454
Nau, J. M.—Nondestructive determination of dynamic modulus of concrete disks (95-M6) Jan.-Feb. 1998 50
Neal, J. A.—Concrete masonry unit mix designs using municipal solid waste bottom ash (95-M45) July-Aug. 1998 470
Nielsen, C. V.—Triaxial behavior of high-strength concrete and mortar (95-M14) Mar.-Apr. 1998 144
Nemati, K. M.—Analysis of compressive stress-induced cracks in concrete (95-M60) Sept.-Oct. 1998 617
Nondestructive determination of dynamic modulus of concrete disks (95-M6) Leming, M. L., Nau, J. M., and Fukuda, J., Jan.-Feb. 1998 50
Nondestructive measurement of corrosion state of reinforcing steel in concrete (95-M69) Monteiro, P. J. M., Morrison, F., and Frangos, W., Nov.-Dec. 1998 704

O

Ouyang, C.—Method to predict shrinkage cracking of concrete (95-M31) July-Aug. 1998 339

P

Pavements
—Drying shrinkage of roller-compacted concrete for pavement applications (95-M3) Pittman, D. W., and Ragan, S. A., Jan.-Feb. 1998 19
Peng, Y. N.—Fundamental study on hydration of cement and cement minerals with steam (95-M5) Jan.-Feb. 1998 37
Permeability
—Effect of supplementary cementing materials on specific conductivity of pore solution and its implications on rapid chloride permeability test (AASHTO T 277 and ASTM C 1202) results (95-M36) Shi, C., Stegemann, J. A., and Caldwell, R. J., July-Aug. 1998 389
Peterson, M. L.—Ultrasonic investigation of concrete with distributed damage (95-M4) Jan.-Feb. 1998 27
Pittman, D. W.—Drying shrinkage of roller-compacted concrete for pavement applications (95-M3) Jan.-Feb. 1998 19
Plastic shrinkage
—Plastic shrinkage cracking and evaporation formulas (95-M34) Uno, P. J., July-Aug. 1998 365
Plastic shrinkage cracking and evaporation formulas (95-M34) Uno, P. J., July-Aug. 1998 365
Polymer concrete
—Experimental research on polymer modified concrete (95-M44) Folic, R. J., and Radonjanin, V. S., July-Aug. 1998 463
Popovics, S.—History of mathematical model for strength development of portland cement concrete (95-M57) Sept.-Oct. 1998 593
Portland cement
—History of mathematical model for strength development of portland cement concrete (95-M57) Popovics, S., Sept.-Oct. 1998 593
Pozzolanic reaction and microstructure of chemical activated lime-fly ash pastes (95-M51) Shi, C., Sept.-Oct. 1998 537
Pozzolans
—Pozzolanic reaction and microstructure of chemical activated lime-fly ash pastes (95-M51) Shi, C., Sept.-Oct. 1998 537
Prezzi, M.—Alkali-silica reaction—Part 2: Effect of chemical admixtures (95-M1) Jan.-Feb. 1998 3
Proportioning
—Proportioning spent casting sand in controlled low-strength materials (95-M74) Tikalsky, P. J., Smith, E., and Regan, R. W., Nov.-Dec. 1998 740
Proportioning spent casting sand in controlled low-strength materials (95-M74) Tikalsky, P. J., Smith, E., and Regan, R. W., Nov.-Dec. 1998 740
Protective ability of acrylic-based surface coating system against chloride and carbonation penetration into concrete (95-M10) Swamy, R. N., Suryavanshi, A. K., and Tanikawa, S. Mar.-Apr. 1998 101
Pumpability of non-sand concrete with antisegregative additives (95-M68) Amparano, F. E., and Xi, Y., Nov.-Dec. 1998 695
Punching shear strength of continuous post-tensioned concrete flat plates (95-M26) Gardner, N. J., and Kallage, M. R., May-June 1998 272
Puterman, M.—Effect of material degradation on bond properties of fiber reinforced plastic reinforcing bars in concrete (95-M22) May-June 1998 232
Pyc, W.—Estimating service life of epoxy-coated reinforcing steel (95-M52) Sept.-Oct. 1998 546

R

Radiant heating
—Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating (95-M50) Consolazio, G. R., McVay, M. C., and Rish, III, J. W., Sept.-Oct. 1998 525
Radonjanin, V. S.—Experimental research on polymer modified concrete (95-M44) July-Aug. 1998 463
Ragan, S. A.—Drying shrinkage of roller-compacted concrete for pavement applications (95-M3) Jan.-Feb. 1998 19
Ramme, B.—Mechanical properties and durability of concrete made with blended fly ash (95-M43) July-Aug. 1998 454
Rao, P. S.—Damage model for reinforced concrete elements under cyclic loading (95-M66) Nov.-Dec. 1998 682
Ravanbakhsh, S.—Control of plastic shrinkage cracking with specialty cellulose fibers (95-M40) July-Aug. 1998 429
Regan, R. W.—Proportioning spent casting sand in controlled low-strength materials (95-M74) Nov.-Dec. 1998 740
Reinforcing bars
—Effects of water-cement ratio, curing age, silica fume, polymer admixtures, steel surface treatments, and corrosion on bond between concrete and steel reinforcing bars (95-M72) Fu, X. and Chung, D. D. L., Nov.-Dec. 1998 725
—Environmental effects on mechanical properties of E-glass FRP rebars (95-M9) Tannous, F. E., and Saadatmanesh, H., Mar.-Apr. 1998 87
—Influences of reinforcing bars on crack depth measurement by stress waves (95-M38) Lin, Y, Liou, T., and Hsiao, C., July-Aug. 1998 407

Reinforcing steels
—Engineering material properties of fiber reinforced cellular concrete (95-M61) Zollo, R. F., and Hays, C. D., Sept.-Oct. 1998 631
—Estimating service life of epoxy-coated reinforcing steel (95-M52) Weyers, R. E., Pyc, W., and Sprinkel, M. M., Sept.-Oct. 1998 546
—Review of static and dynamic properties of steel reinforcing bars (95-M59) Malvar, L. J., Sept.-Oct. 1998 609
Reliability approach to landing pier optimum repair level (95-M20) Matsushima, M., Seki, H., and Matsui, K., May-June 1998 218
Repairs
—Reliability approach to landing pier optimum repair level (95-M20) Matsushima, M., Seki, H., and Matsui, K., May-June 1998 218
Review of static and dynamic properties of steel reinforcing bars (95-M59) Malvar, L. J., Sept.-Oct. 1998 609
Review of strain rate effects for concrete in tension (95-M73) Malvar, L. J., and Ross, C. A., Nov.-Dec. 1998 735
Rhim, H. C.—Electromagnetic properties of concrete at microwave frequency range (95-M25) May-June 1998 262
Rigden, S.—Static and fatigue strength of reinforced concrete beams affected by alkali-silica reaction (95-M35) July-Aug. 1998 376
Rish, III, J. W.—Measurement and prediction of pore pressures in saturated cement mortar subjected to radiant heating (95-M50) Sept.-Oct. 1998 525
Role of chemical and mineral admixtures on physical properties and frost resistance of recycled aggregate concrete (95-M53) Salem, R. M., and Burdette, E. G., Sept.-Oct 1998 558
Roper, H.—Chloride-induced steel corrosion in concrete—Part 1: Corrosion rates, corrosion activity, and attack areas (95-M19) May-June 1998 207
Ross, C. A.—Review of strain rate effects for concrete in tension (95-M73) Nov.-Dec. 1998 735

S

Saadatmanesh, H.—Environmental effects on mechanical properties of E-glass FRP rebars (95-M9) Mar.-Apr. 1998 87
Sakai, K.—Impact resistance of concrete plates reinforced with fiber reinforced plastic grid (95-M2) Jan.-Feb. 1998 11
Salem, R. M.—Role of chemical and mineral admixtures on physical properties and frost resistance of recycled aggregate concrete (95-M53) Sept.-Oct. 1998 558
Sansalone, M.—Determining depth of surface-opening cracks using impact-generated stress waves and time-of-flight techniques (95-M17) Mar.-Apr. 1998 168
Sarma. B. S.—Damage model for reinforced concrete elements under cyclic loading (95-M66) Nov.-Dec. 1998 682
Scrivener, K. L.—Analysis of compressive stress-induced cracks in concrete (95-M60) Sept.-Oct. 1998 617
Sealing
—Laboratory test procedures for evaluating concrete treated with sealers (95-M41) Bush, T. D., July-Aug. 1998 436
Seki, H.—Reliability approach to landing pier optimum repair level (95-M20) May-June 1998 218
Selleck, S. F.—Ultrasonic investigation of concrete with distributed damage (95-M4) Jan.-Feb. 1998 27
Sensitivity of compressive strength of high-strength concrete to hot-dry climate, curing regimes, and additives (94-M53)
—Alsayed, S. H., V. 94, Nov.-Dec. 1997 472
—Disc. by Haque, N., Nov.-Dec. 1998 756
Service life model for concrete structures in chloride laden environments (95-M42) Weyers, R. E., July-Aug. 1998 445
Shah, S. P.
—Application of accoustic emission technique to detection of reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68
—Method to predict shrinkage cracking of concrete (95-M31) July-Aug. 1998 339
—Ultrasonic investigation of concrete with distributed damage (95-M4) Jan.-Feb. 1998 27
Shear strength
—Punching shear strength of continuous post-tensioned concrete flat plates (95-M26) Gardner, N. J., and Kallage, M. R., May-June 1998 272
Shi, C.
—Effect of supplementary cementing materials on specific conductivity of pore solution and its implications on rapid chloride permeability test (AASHTO T 277 and ASTM C 1202) results (95-M36) July-Aug. 1998 389
—Pozzolanic reaction and microstructure of chemical activated lime-fly ash pastes (95-M51) Sept.-Oct. 1998 537
Shotcrete
—Effects of polysaccharide gum additives on shotcrete process (95-M15) Ghio, V. A., and Monteiro, P. J. M., Mar.-Apr. 1998 152
Shrinkage
—Method to predict shrinkage cracking of concrete (95-M31) Shah, S. P., Ouyang, C., Marikunte, S., Yang, W., and Becq-Giraudon, E., July-Aug. 1998 339
Singh, S.—Mechanical properties and durability of concrete made with blended fly ash (95-M43) July-Aug. 1998 454
Siriviatnanon, V.—Chloride-induced steel corrosion in concrete—Part 1: Corrosion rates, corrosion activity, and attack areas (95-M19) May-June 1998 207
Size effect and influence of aggregate roughness in interface fracture of concrete composites (95-M30) Trende, U., and Büyüköztürk, O., July-Aug. 1998 331
Smith, E.—Proportioning spent casting sand in controlled low-strength materials (95-M74) Nov.-Dec. 1998 740
Somboonsong, W.—Ductile hybrid fiber reinforced plastic reinforcing bar for concrete structures—Design methodology (95-M63) Nov.-Dec. 1998 655
Soroushian, P.—Control of plastic shrinkage cracking with specialty cellulose fibers (95-M40) July-Aug. 1998 429
Sposito, G.—Alkali-silica reaction—Part 2: Effect of chemical admixtures (95-M1) Jan.-Feb. 1998 3
Sprinkel, M. M.—Estimating service life of epoxy-coated reinforcing steel (95-M52) Sept.-Oct. 1998 546
Stang, H.—Fatigue performance in flexure of fiber reinforced concrete (95-M7) Jan.-Feb. 1998 58
Stangenberg, F.—Damage model for reinforced concrete elements under cyclic loading (95-M66) Nov.-Dec. 1998 682
Static and fatigue strength of reinforced concrete beams affected by alkali-silica reaction (95-M35) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1998 376
Stegemann, J. A.—Effect of supplementary cementing materials on specific conductivity of pore solution and its implications on rapid chloride permeability test (AASHTO T 277 and ASTM C 1202) results (95-M36) July-Aug. 1998 389
Stevula, L.—Effect of bentonite and zeolite on durability of cement suspension under sulfate attack (95-M70) Nov.-Dec. 1998 710
Streett, W. B.—Determining depth of surface-opening cracks using impact-generated stress waves and time-of-flight techniques (95-M17) Mar.-Apr. 1998 168
Stress effect on ultrasonic velocity variations of concrete under repeated loading (95-M49) Wu, T. T., and Lin, T. F., Sept.-Oct. 1998 519
Stress-strain behavior of concrete under cyclic loading (95-M18) Bahn, B. Y., and Hsu, C.-T. T., Mar.-Apr. 1998 178
Stress-strain characteristics of confined concrete in column hinges (95-M39) Griezic, A., Cook, W. D., and Mitchell, D., July-Aug. 1998 419
Sujjavanich, S.—Development of strength and fracture properties of styrene-butadiene copolymer latex-modified concrete (95-M13) Mar.-Apr. 1998 131
Sulfate attack
—Effect of bentonite and zeolite on durability of cement suspension under sulfate attack (95-M70) Janotka, I., and Stevula, L., Nov.-Dec. 1998 710
Sulfate resistance
—Sulfate resistance of roller-compacted concrete (95-M32) Ghafoori, N., and Zhang, Z., July-Aug. 1998 347
Sulfate resistance of roller-compacted concrete (95-M32) Ghafoori, N., and Zhang, Z., July-Aug. 1998 347
Suryavanshi, A. K.—Protective ability of acrylic-based surface coating system against chloride and carbonation penetration into concrete (95-M10) Mar.-Apr. 1998 101
Sustained load strength and short-term strain behavior of high-strength concrete (95-M62) Iravani, S., and MacGregor, J. G., Sept.-Oct. 1998 636
Swamy, R. N.—Protective ability of acrylic-based surface coating system against chloride and carbonation penetration into concrete (95-M10) Mar.-Apr. 1998 101

T

Tanikawa, S.—Protective ability of acrylic-based surface coating system against chloride and carbonation penetration into concrete (95-M10) Mar.-Apr. 1998 101

Tannous, F. E.—Environmental effects on mechanical properties of E-glass FRP rebars (95-M9) Mar.-Apr. 1998 87

Tensile behavior of fiber-cement hybrid composites containing polyvinyl alcohol fiber yarns (95-M64) Xu, G., Magnani, S., and Hannant, D. J., Nov.-Dec. 1998 667

Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5)
—Krstulovic, N., and Malak, S., V. 94, Jan.-Feb. 1997 39
—Disc. by Oluokun, A. F., Jan.-Feb. 1998 77

Tensile strength
—Tensile behavior of fiber-cement hybrid composites containing polyvinyl alcohol fiber yarns (95-M64) Xu, G. Magnani, S., and Hannant, D. J., Nov.-Dec. 1998 667

Tension
—Review of strain rate effects for concrete in tension (95-M73) Malvar, L. J., and Ross, C. A., Nov.-Dec. 1998 735

Thermal properties and transient thermal analysis of structural members during hydration (95-M28) Khan, A. A., Cook, W. D., and Mitchell, D., May-June 1998 293

Thomas, M. D. A.—Effect of slag on expansion due to alkali-aggregate reaction in concrete (95-M71) Nov.-Dec. 1998 716

Tikalsky, P. J.—Proportioning spent casting sand in controlled low-strength materials (95-M74) Nov.-Dec. 1998 740

Trende, U.—Size effect and influence of aggregate roughness in interface fracture of concrete composites (95-M30) July-Aug. 1998 331

Triaxial behavior of high-strength concrete and mortar (95-M14) Nielsen, C. V., Mar.-Apr. 1998 144

Triaxial loads
—High-strength concrete subjected to triaxial compression (95-M75) Ansari, F., and Li, Q., Nov.-Dec. 1998 747

U

Ultrasonic investigation of concrete with distributed damage (95-M4) Selleck, S. F., Landis, E. N., Peterson, M. L., Shah, S. P., and Achenbach, J. D., Jan.-Feb. 1998 27

Ultrasonic tests
—Stress effect on ultrasonic velocity variations of concrete under repeated loading (95-M49) Wu, T. T., and Lin, T. F., Sept.-Oct. 1998 519
—Ultrasonic investigation of concrete with distributed damage (95-M4) Selleck, S. F., Landis, E. N., Peterson, M. L., Shah, S. P., and Achenbach, J. D., Jan.-Feb. 1998 27

Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers (95-M54) Li, Z., Li, F., Chang, T.-Y. P., and Mai, Y.-W., Sept.-Oct. 1998 564

Uno, P. J.—Plastic shrinkage cracking and evaporation (95-M34) July-Aug. 1998 365

Use of reclaimed asphalt pavement as aggregate in portland cement concrete (94-M29)
—Delwar, M., Fahmy, M., and Taha, R., V. 94 May-June 1997 251
—Disc. by Wojakowski, J. B., May-June 1998 320

Use of viscosity-modifying admixture to reduce top-bar effect of anchored bars cast with fluid concrete (95-M16) Khayat, K. H., Mar.-Apr. 1998 158

WXYZ

Weyers, R. E.
—Estimating service life of epoxy-coated reinforcing steel (95-M52) Sept.-Oct. 1998 546
—Modeling time-to-corrosion cracking in chloride-contaminated reinforced concrete structures (95-M65) Nov.-Dec. 1998 675
—Service life model for concrete structures in chloride laden environments (95-M42) July-Aug. 1998 445

Xi, Y.—Pumpability of non-sand concrete with antisegregative additives (95-M68) Nov.-Dec. 1998 695

Xu, G.—Tensile behavior of fiber-cement hybrid composites containing polyvinyl alcohol fiber yarns (95-M64) Nov.-Dec. 1998 667

Yan, C.—Impact resistance of concrete plates reinforced with fiber reinforced plastic grid (95-M2) Jan.-Feb. 1998 11

Yang, W.—Method to predict shrinkage cracking of concrete (95-M31) July-Aug. 1998 339

Yaoping, H.—Effect of strain rate on compressive strength surface cracking and failure mode of mortar (95-M48) Sept.-Oct. 1998 512

Wu, T. T.—Stress effect on ultrasonic velocity variations of concrete under repeated loading (95-M49) Sept.-Oct. 1998 519

Zdunek, A.—Application of acoustic emission technique to detect reinforcing steel corrosion in concrete (95-M8) Jan.-Feb. 1998 68

Zhang, Z.—Sulfate resistance of roller-compacted concrete (95-M32) July-Aug. 1998 347

Zhaoxia, L.—Effect of strain rate on compressive strength surface cracking and failure mode of mortar (95-M48) Sept.-Oct. 1998 512

Zollinger, D. G.—Mode I fracture strength based on pullout force and equivalent age (95-M29) May-June 1998 304

Zollo, R. F.—Engineering material properties of fiber reinforced cellular concrete (95-M61) Sept.-Oct. 1998 631